


DIAMOND BURS






001
(80I)



OAL 19mm												
314.001.504	● 80IEF FG				O12	O14	O16	O18				
314.001.514	● 80IF FG	007	008	O10	O12	O14	O16	O18	O21	O23	O25	O35
314.001.524	● 80I FG	007	008	O10	O12	O14	O16	O18	O21	O23	O25	O35
314.001.534	● 80IG FG			O10	O12	O14	O16	O18	O21	O23	O25	
314.001.544	● 80ISG FG				O12	O14	O16	O18	O21	O23	O25	
OAL 16,5 mm												
313.001.524	● 80I FG SHORT					O14		O18				
OAL 25 mm												
316.001.514	● 80IF FG XL			O10	O12	O14	O16	O18				
316.001.524	● 80I FG XL			O10	O12	O14	O16	O18			O25	
316.001.534	● 80IG FG XL			O10	O12	O14	O16	O18				
316.001.544	● 80ISG FG XL				O12	O14	O16	O18				
OAL 22 mm												
204.001.524	● 80I RA			O10	O12	O14	O16	O18	O21	O23	O25	O35
204.001.534	● 80IG RA				O12	O14	O16	O18	O21	O23	O25	O35
OAL 26 mm												
205.001.524	● 80I RAL			O10	O12	O14	O16	O18	O21	O23	O25	
205.001.534	● 80IG RAL					O14	O16	O18	O21	O23	O25	




697
(80IL)



OAL 22 mm							
314.697.524	● 80IL FG	O10	O12	O14	O16	O18	O25
314.697.534	● 80ILG FG	O10	O12	O14	O16	O18	O25
314.697.544	● 80ILSG FG		O12	O14	O16	O18	O25




002
(802)



L mm		3,5	3,5	3,5
OAL 19 mm				
314.002.524	● 802 FG	O14	O16	O18
314.002.534	● 802G FG	O14	O16	O18
314.002.544	● 802SG FG	O14	O16	O18




388
(388)



L mm		8,0	8,0	8,0	8,0
OAL 22 mm					
314.388.524	● 388 FG	O10	O12	O14	O16
314.388.534	● 388G FG	O10	O12	O14	O16
314.388.544	● 388SG FG	O10	O12	O14	O16



494
(802L)



L mm		10,0	10,0	10,0	10,0
OAL 22 mm					
314.494.524	● 802L FG	O12	O14	O16	O18
314.494.534	● 802LG FG	O12	O14	O16	O18
314.494.544	● 802LSG FG	O12	O14	O16	O18

DIAMOND BURS

FRESAS DE DIAMANTE / АЛМАЗНЫЕ БОРЫ



012
(805)

L mm		1,0	1,5	1,5	1,5	2,3	2,3
OAL 19mm							
314.012.514	● 805F FG	O10	O12	O14	O16		
314.012.524	● 805 FG	O10	O12	O14	O16	O18	O21
314.012.534	● 805G FG			O14	O16	O18	
314.012.544	● 805SG FG			O14	O16	O18	O21
OAL 16,5mm							
313.012.524	● 805 FG SHORT	O10		O14			



019
(806)

L mm		3,0	3,0
OAL 19 mm			
314.019.514	● 806F FG	O12	
314.019.524	● 806 FG	O12	O14
314.019.534	● 806G FG	O12	O14
314.019.544	● 806SG FG		O14



032
(870)

L mm		1,5	1,9
OAL 19 mm			
314.032.524	● 870 FG	O14	O18
314.032.534	● 870G FG	O14	O18
314.032.544	● 870SG FG	O14	O18



033
(899)

L mm		6,5
OAL 22 mm		
314.033.524	● 899 FG	O21
314.033.534	● 899G FG	O21



038
(811)

L mm		4,0
OAL 19 mm		
314.038.514	● 811F FG	O33
314.038.524	● 811 FG	O33
314.038.534	● 811G FG	O33
314.038.544	● 811SG FG	O33



039
(811L)

L mm		7,0
OAL 22 mm		
314.039.514	● 811LF FG	O37
314.039.524	● 811L FG	O37
314.039.534	● 811LG FG	O37
314.039.544	● 811LSG FG	O37



040
(815)

L mm		0,5	0,5
OAL 19 mm			
314.040.524	● 815 FG	O18	
OAL 22 mm			
204.040.524	● 815 RA		O35



108
(835)

L mm		3,0	3,0	3,5	3,5	3,5	3,5
OAL 19 mm							
314.108.504	● 835EF FG				O12	O14	O16
314.108.514	● 835F FG	O06	O08	O10	O12	O14	
314.108.524	● 835 FG	O06	O08	O10	O12	O14	O16
314.108.534	● 835G FG	O06	O08	O10	O12	O14	O16
314.108.544	● 835SG FG			O10	O12	O14	O16
OAL 16,5 mm							
313.108.524	● 835 FG SHORT				O12		
313.108.534	● 835G FG SHORT				O12		
OAL 22 mm							
204.108.524	● 835 RA				O12		



109
(835L)

L mm		4,0	4,0	4,0	4,0	4,0	4,0
OAL 19 mm							
314.109.514	● 835LF FG		O10	O12	O14	O16	O18
314.109.524	● 835L FG	O08	O10	O12	O14	O16	O18
314.109.534	● 835LG FG	O08	O10	O12	O14	O16	O18
314.109.544	● 835LSG FG		O10	O12	O14	O16	O18



110
(837)

L mm		6,0	6,0	6,0	6,0
OAL 19 mm					
314.110.504	● 837EF FG	O10	O12	O14	
314.110.514	● 837F FG	O10	O12	O14	O16
314.110.524	● 837 FG	O10	O12	O14	O16
314.110.534	● 837G FG	O10	O12	O14	O16
314.110.544	● 837SG FG		O12	O14	O16



111
(837L)

L mm		8,0	8,0	8,0	8,0
OAL 22 mm					
314.111.504	● 837LEF FG	O10	O12	O14	
314.111.514	● 837LF FG	O10	O12	O14	O16
314.111.524	● 837L FG	O10	O12	O14	O16
314.111.534	● 837LG FG		O12	O14	O16
314.111.544	● 837LSG FG		O12	O14	O16
OAL 22 mm					
204.111.524	● 837L RA			O14	



112
(837XL)

L mm		10,0	10,0
OAL 24 mm			
314.111.514	● 837XLF FG	O12	O14
314.111.524	● 837XL FG	O12	O14
314.111.534	● 837XLG FG	O12	O14

DIAMOND BURS

FRESAS DE DIAMANTE / АЛМАЗНЫЕ БОРЫ



113
(891)

L mm		12,0
OAL 26 mm		
314.113.514	● 891F FG	O14
314.113.524	● 891 FG	O14
314.113.534	● 891G FG	O14
314.113.544	● 891SG FG	O14



130
(885)

L mm		8,0	8,0	8,0	8,0
OAL 22 mm					
314.130.504	● 885EF FG	O10	O12	O14	
314.130.514	● 885F FG	O10	O12	O14	O16
314.130.524	● 885 FG	O10	O12	O14	O16
314.130.534	● 885G FG		O12	O14	O16
314.130.544	● 885SG FG		O12	O14	O16



131
(886)

L mm		10,0	10,0	10,0
OAL 24 mm				
314.131.504	● 886EF FG	O12	O14	O16
314.131.514	● 886F FG	O12	O14	O16
314.131.524	● 886 FG	O12	O14	O16
314.131.534	● 886G FG	O12	O14	O16
314.131.544	● 886SG FG		O14	O16



140
(838L)

L mm		6,0	6,0	6,0
OAL 19 mm				
314.140.504	● 838LEF FG	O10	O12	O14
314.140.514	● 838LF FG	O10	O12	O14
314.140.524	● 838L FG	O10	O12	O14
314.140.534	● 838LG FG	O10	O12	O14



141
(881)

L mm		8,0	8,0	8,0	8,0
OAL 22 mm					
314.141.514	● 881F FG	O10	O12	O14	O16
314.141.524	● 881 FG	O10	O12	O14	O16
314.141.534	● 881G FG	O10	O12	O14	O16
314.141.544	● 881SG FG		O12	O14	O16




142
(882)

L mm		10,0	10,0	10,0
OAL 24 mm				
314.142.514	● 882F FG	O12	O14	O16
314.142.524	● 882 FG	O12	O14	O16
314.142.534	● 882G FG	O12	O14	O16
314.142.544	● 882SG FG	O12	O14	O16




158
(837KR)

L mm		8,0	8,0	8,0
OAL 22 mm				
314.158.504	● 837KREF FG		O14	
314.158.514	● 837KRF FG	O12	O14	O16
314.158.524	● 837KR FG	O12	O14	O16
314.158.534	● 837KRG FG	O12	O14	O16
314.158.544	● 837KRSG FG	O12	O14	O16




160
(890)

L mm		4,0	4,0
OAL 22 mm			
314.160.514	● 890F FG	O08	O10
314.160.524	● 890 FG	O08	O10




164
(898)

L mm		6,0	6,0	6,0	6,0
OAL 22 mm					
314.164.504	● 898EF FG	O10	O12	O14	O16
314.164.514	● 898F FG	O10	O12	O14	O16
314.164.524	● 898 FG	O10	O12	O14	O16
314.164.534	● 898G FG		O12	O14	O16
314.164.544	● 898SG FG			O14	O16



165
(858)

L mm		8,0	8,0	8,0	8,0
OAL 24 mm					
314.165.504	● 858EF FG	O10	O12	O14	O16
314.165.514	● 858F FG	O10	O12	O14	O16
314.165.524	● 858 FG	O10	O12	O14	O16
314.165.534	● 858G FG	O10	O12	O14	O16
314.165.544	● 858SG FG			O14	O16
OAL 24 mm					
314.165.514	● 858F RA			O14	
314.165.524	● 858 RA			O14	




166
(859)

L mm		10,0	10,0	10,0	10,0	10,0
OAL 24 mm						
314.166.504	● 859EF FG	O10	O12	O14	O16	O18
314.166.514	● 859F FG	O10	O12	O14	O16	O18
314.166.524	● 859 FG	O10	O12	O14	O16	O18
314.166.534	● 859G FG	O10	O12	O14	O16	O18
314.166.544	● 859SG FG			O14	O16	O18
OAL 24 mm						
314.166.524	● 859 RA	O10		O14		



167
(859L)

L mm		11,5	11,5	11,5	11,5	11,5
OAL 26 mm						
314.167.504	● 859LEF FG	O10	O12	O14	O16	O18
314.167.514	● 859LF FG	O10	O12	O14	O16	O18
314.167.524	● 859L FG	O10	O12	O14	O16	O18
314.167.534	● 859LG FG	O10	O12	O14	O16	O18
314.167.544	● 859LSG FG			O14	O16	O18



DIAMOND BURS

FRESAS DE DIAMANTE / АЛМАЗНЫЕ БОРЫ



168
(845)

L mm	3,0	3,0	3,0	4,0	4,0	4,0	4,0
OAL 19 mm							
314.168.524	845 FG	007	008	009	010	012	014
314.168.534	845G FG				012	014	
314.168.544	845SG FG					014	

171
(846)

L mm	6,0	6,0	6,0	6,0
OAL 22 mm				
314.171.514	846F FG	012	014	016
314.171.524	846 FG	012	014	016
314.171.534	846G FG	012	014	016
314.171.544	846SG FG		014	016

172
(847)

L mm	8,0	8,0	8,0	8,0	8,0
OAL 22 mm					
314.172.514	847F FG	012	014	016	018
314.172.524	847 FG	012	014	016	018
314.172.534	847G FG	012	014	016	018
314.172.544	847SG FG	012	014	016	018

173
(848)

L mm	10,0	10,0	10,0	10,0	10,0	10,0
OAL 24 mm						
314.173.504	848EF FG	012	014	016	018	
314.173.514	848F FG	012	014	016	018	021
314.173.524	848 FG	012	014	016	018	021
314.173.534	848G FG	012	014	016	018	021
314.173.544	848SG FG	012	014	016	018	

174
(848L)

L mm	11,5	11,5	11,5	11,5	11,5
OAL 26 mm					
314.174.504	848LEF FG	014	016	018	
314.174.514	848LF FG	014	016	018	
314.174.524	848L FG	014	016	018	021
314.174.534	848LG FG	014	016	018	021
314.174.544	848LSG FG	014	016	018	021

197
(849)

L mm	6,0	6,0	6,0	6,0	6,0	6,0	6,0
OAL 22 mm							
314.197.514	849F FG	010	012	014	016	018	023
314.197.524	849FG	010	012	014	016	018	023
314.197.534	849G FG	010	012	014	016	018	023
314.197.544	849SG FG		012	014	016	018	023



198
(850)


L mm		8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0
OAL 22 mm 									
314.198.514	● 850F FG	O10	O12	O14	O16	O18	O21	O23	O25
314.198.524	● 850 FG	O10	O12	O14	O16	O18	O21	O23	O25
314.198.534	● 850G FG	O10	O12	O14	O16	O18	O21	O23	O25
314.198.544	● 850SG FG		O12	O14	O16	O18	O21	O23	O25

199
(852)

L mm		10,0	10,0	10,0	10,0	10,0
OAL 24mm 						
314.199.504	● 852EF FG	O10	O12	O14	O16	O18
314.199.514	● 852F FG	O10	O12	O14	O16	O18
314.199.524	● 852 FG	O10	O12	O14	O16	O18
314.199.534	● 852G FG		O12	O14	O16	O18
314.199.544	● 852SG FG		O12	O14	O16	O18


Safe End
0,4 mm

219
(219)

L mm		8,0
OAL 22 mm 		
314.219.534	● 219G FG	O14

Safe End
1 mm


220
(857)

L mm		10,0
OAL 24 mm 		
314.220.514	● 857F FG	O14
314.220.524	● 857 FG	O14
314.220.534	● 857G FG	O14

225
(807)

L mm		3,5	3,5	4,0	4,0
OAL 19mm 					
314.225.514	● 807F FG	O12	O14	O16	O18
314.225.524	● 807 FG	O12	O14	O16	O18
314.225.534	● 807G FG	O12	O14	O16	O18
314.225.544	● 807SG FG		O14	O16	O18
OAL 22mm 					
204.225.524	● 807 RA				O18

232
(809)

L mm		2,0	2,0
OAL 19mm 			
314.232.524	● 809 FG	O08	O09

DIAMOND BURS

FRESAS DE DIAMANTE / АЛМАЗНЫЕ БОРЫ



238
(808R)

L mm	5,0	5,0	5,0	5,0
OAL 19mm				
314.238.514	● 808RF FG	O10	O12	O14
314.238.524	● 808R FG	O10	O12	O14
314.238.534	● 808RG FG			O14



243
(860)

L mm	3,0	3,0	5,0	5,0	5,0
OAL 19 mm					
314.243.504	● 860EF FG	O10	O12	O18	O23
314.243.514	● 860F FG	O10	O12	O18	O23
314.243.524	● 860 FG	O10	O12	O18	O23
314.243.534	● 860G FG	O10	O12	O18	O23
314.243.544	● 860SG FG		O12	O18	O23
OAL 16,5 mm					
313.243.524	● 860 FG SHORT		O12		



249
(862)

L mm	8,0	8,0	8,0	8,0
OAL 22 mm				
314.249.504	● 862EF FG	O10	O12	O14
314.249.514	● 862F FG	O10	O12	O14
314.249.524	● 862 FG	O10	O12	O14
314.249.534	● 862G FG		O12	O14
314.249.544	● 862SG FG		O12	O14



250
(863)

L mm	10,0	10,0	10,0	10,0
OAL 24 mm				
314.250.504	● 863EF FG	O12	O14	O16
314.250.514	● 863F FG	O12	O14	O16
314.250.524	● 863 FG	O12	O14	O16
314.250.534	● 863G FG	O12	O14	O16
314.250.544	● 863SG FG	O12	O14	O16



251
(863L)

L mm	11,5	11,5	11,5
OAL 26 mm			
314.251.504	● 863LEF FG	O14	O16
314.251.514	● 863LF FG	O14	O16
314.251.524	● 863L FG	O14	O16
314.251.534	● 863LG FG	O14	O16
314.251.544	● 863LSG FG	O14	O16



254
(831)

L mm	4,0	4,0	4,0	4,0	5,0
OAL 19 mm					
314.254.504	● 831EF FG	O14	O16	O18	O21
314.254.514	● 831F FG	O14	O16	O18	O21
314.254.524	● 831 FG	O14	O16	O18	O21
314.254.534	● 831G FG	O14	O16	O18	O21
314.254.544	● 831SG FG	O14	O16	O18	O21

DIAMOND BURS

FRESAS DE DIAMANTE / АЛМАЗНЫЕ БОРЫ



291
(869L)

L mm		11,5	11,5	11,5
OAL 26 mm				
314.291.514	● 869LF FG	O12	O14	O16
314.291.524	● 869L FG	O12	O14	O16
314.291.534	● 869LG FG	O12	O14	O16



298
(878)

L mm		8,0	8,0	8,0	8,0	8,0	8,0
OAL 22 mm							
314.298.514	● 878F FG	O12	O14	O16	O18	O21	
314.298.524	● 878 FG	O12	O14	O16	O18	O21	O23
314.298.534	● 878G FG	O12	O14	O16	O18	O21	O23
314.298.544	● 878SG FG	O12	O14	O16	O18	O21	O23



299
(879)

L mm		10,0	10,0	10,0	10,0	10,0	10,0
OAL 24 mm							
314.299.514	● 879F FG	O12	O14	O16	O18		
314.299.524	● 879 FG	O12	O14	O16	O18	O21	O23
314.299.534	● 879G FG	O12	O14	O16	O18	O21	O23
314.299.544	● 879SG FG	O12	O14	O16	O18	O21	



464
(827)

L mm		4,0
OAL 19 mm		
314.464.504	● 827EF FG	O18
314.464.514	● 827F FG	O18



465
(820)

L mm		5,0	5,9
OAL 19 mm			
314.465.514	● 820F FG	O16	O18
314.465.524	● 820 FG	O16	O18



507
(893)

L mm		5,8	5,8
OAL 22 mm			
314.507.514	● 893F FG	O18	O23
314.507.524	● 893 FG	O18	O23
314.507.534	● 893G FG	O18	O23
314.507.544	● 893SG FG	O18	O23


508
(508)

L mm		8,0	8,0
OAL 24 mm			
314.508.514	● 508F FG	O18	O21
314.508.524	● 508 FG	O18	O21
314.508.534	● 508G FG	O18	O21
314.508.544	● 508SG FG	O18	O21


539
(888L)

L mm		3,0
OAL 22 mm		
314.539.514	● 888L FFG	O10
314.539.524	● 888L FG	O10
314.539.534	● 888LG FG	O10


540
(889L)


L mm		4,0	4,0
OAL 22 mm			
314.540.514	● 889LF FG	O09	O10
314.540.524	● 889L FG	O09	O10
314.540.534	● 889LG FG	O09	O10


699
(890L)


L mm		4,0
OAL 22 mm		
314.699.514	● 890LF FG	O08
314.699.524	● 890L FG	O08


834
(834)

marking depth T	0,3 mm	0,4 mm	0,5 mm
L mm	7,0	7,0	7,0
OAL 22 mm			
314.834.524	● 834 FG	O16	O18


868A
(868A)

marking depth T	0,3 mm
L mm	7,0
OAL 22 mm 	
314.868A.524	● 868A FG
O18	





697



L mm		0,7
OAL 19 mm		
314.697.514	● 80IF FG	007
314.697.524	● 80I FG	007



277



L mm		1,1
OAL 19 mm		
314.277.514	● 833F FG	009
314.277.524	● 833 FG	009



698



L mm		3,0
OAL 19 mm		
314.698.514	● 838F FG	007
314.698.524	● 838 FG	007



138



L mm		3,6
OAL 19 mm		
314.138.514	● 880F FG	007
314.138.524	● 880 FG	007



194



L mm		2,1
OAL 19 mm		
314.194.514	● 889F FG	007
314.194.524	● 889 FG	007



540



L mm		3,6
OAL 19 mm		
314.540.514	● 890F FG	007
314.540.524	● 890 FG	007



271



L mm		2,1
OAL 19 mm		
314.271.514	● 895F FG	007
314.271.524	● 895 FG	007



295



L mm		3,6
OAL 19 mm		
314.295.514	● 896F FG	007
314.295.524	● 896 FG	007